

POSEIDON® BARGE HYDRAULIC WINCH

P65 HYDRAULIC WATERFALL DOUBLE DRUM WINCH

- Powered by 65 HP Cummins Diesel
- 12 Volt Battery Pack
- Key Start w/ 2 section manual control valve
- 85 gallon reservoir with sight gauge
- Clarity Hydraulic Oil
- 12,000 lbs bare drum line pull @ 104 fpm
- 7,143 lbs full drum line pull @ 176 fpm
- 2-Pullmaster H12 Winch Units
- Drum capacity is 222' of 5/8" cable
- Cable to be supplied by the contractor
- All welded steel frame with lifting eyes

SHIPPING DIMENSIONS:

6'0" W x 9'2" L x 6'3" H, 4,500 lbs.



Key
— cable running to spud

P65 HYDRAULIC SPLIT DOUBLE DRUM WINCH

- Split design allows you to: use the winch in a standard waterfall style or route the cable down low in opposite directions on the deck
- Eliminate the need for snatch blocks to reroute the cable
- Position the winch in-between the two spuds on the deck freeing up deck space
- Lower sheave travels for smooth spooling of wire rope on the winch drum

SHIPPING DIMENSIONS:

6'0" W x 9'2" L x 5'11" H, 5,730 lbs.




POSEIDON® BARGE, LTD

725 East Parr Road, Berne, IN 46711

PH: 866-99-BARGE; FAX: 260-589-2088

WEBSITE: www.poseidonbarge.com

STOCK LOCATIONS: Berne, IN • Plain, WI • Leland, NC
Cocoa, FL • Coeymans, NY • St. Louis, MO • New Orleans, LA



POSEIDON® BARGE HYDRAULIC WINCH

P100 HYDRAULIC WINCH

- Powered by 100 HP Cummins Diesel
- 12 Volt Battery Pack
- Key Start w/ 2 section manual control valve
- Separate Free Fall circuit valve
- 120 gallon reservoir with sight gauge
- Clarity Hydraulic Oil
- 18,000 lbs bare drum line pull @ 104 fpm
- 11,288 lbs full drum line pull @ 195 fpm
- 2-Pullmaster M18-3-101-3 Winch Units
- Drum capacity is 500' of 3/4" cable
- Cable to be supplied by the contractor
- All welded steel frame with lifting eyes
- 6' x 10' x 8' Frame

SHIPPING DIMENSIONS:

7'0" W x 11'0" L x 7'2" H, 6,000 lbs.



SB 20008 SNATCH BLOCK

8 Ton Working Load Limit

- 7.87" Sheave Diameter for 5/8" cable
- Weighs 35.2 lbs SB 25010 Snatch Block

10 Ton Working Load Limit

- 9.84" Sheave Diameter for 3/4" cable
- Weighs 82.5 lbs



POSEIDON® BARGE, LTD


725 East Parr Road, Berne, IN 46711

PH: 866-99-BARGE; FAX: 260-589-2088

WEBSITE: www.poseidonbarge.com

STOCK LOCATIONS: Berne, IN • Plain, WI • Leland, NC
Cocoa, FL • Coeymans, NY • St. Louis, MO • New Orleans, LA

POSEIDON® BARGE P100 POWER PACK UNIT



Designed to Power Spud Pocket Mounted Winches

- Powered by 110 HP Cummins Diesel Engine
- 12 Volt Battery Pack
- Operates two H-18-3-101-1 size winches
- Holds up to 170' of 3/4" cable
- Capable of forward & reverse
- Key start with fully electronic engine controls
- Dual spool valves for reliable, manual control of winch direction of rotation
- H18 Rapid Reverse pays out cable 4X faster than when pulling in
- 18,000 lb bare drum line pull @ 122 fpm
- 11,288 lbs full drum line pull @ 195 fpm
- 110 gallon hydraulic reservoir with sight gauge
- Produces 60 GPM flow at 2,400 rpm
- Uses Biodegradable Chevron Clarity Hydraulic Oil
- 17 Gallon diesel fuel tank
- Unit dimensions 98.25" L x 50" W x 77" H
- Physical Shipping Weight 4,072 lbs
- Drip free quick disconnect hose connections
- Optional Drip tray available 600 lbs
- Cable and Rigging Not Included



POSEIDON® BARGE, LTD

725 East Parr Road, Berne, IN 46711

PH: 866-99-BARGE; FAX: 260-589-2088

WEBSITE: www.poseidonbarge.com

STOCK LOCATIONS: Berne, IN • Plain, WI • Leland, NC
Cocoa, FL • Coeymans, NY • St. Louis, MO • New Orleans, LA